CHECK POINT PROBLEM PR


Sample Report

Welcome to the Check Point PRO Report – redefining customer support as you know it, allowing you to identify points of failure before they occur.

Personal Online Reporting: combined with security expertise and machine learning to bring detailed interactive reports on the overall security, diagnostics and actionable insights.

Check Point PRO Support

Proactive, Protective, Professional





Proactive Daily Monitoring



Proactive Ticket Creation



Professional Reporting

Diagnostics Details

Filter as you type Q

Ø D	00: 03	vSEC NSX Gateway Device Name: serviceinstance SKU: CPSG-vSEC-NSX-NGTP-GW Key: 658 C86	Configuration: Security Gateway FW Version: R77.30 Account ID: 67	5 Alarms
	Alarm Category	Description	Remediation	Priority Level
9 0	System	Logging problem detected. Gateway is writing logs locally due to connectivity problems	See sk40090, if the problem persists contact your local Support Partner or Check Point Support for further investigation.	
Ø	Patch Level	Machine has no Jumbo HFA installed. Recommended Jumbo HFA take for R77.30 is take 216	Upgrade to the latest available Jumbo HFA. For more information refer to sk98028 - Jumbo Hotfix Accumulator FAQ.	
9 0	System	Known log pattern - "ips_cmi_handler_match_cb_ex: signature (XXXX) does not have a policy" appears in /var/log/messages file.	The issue requires a hotfix, see sk113251 for additional information. Service Request 1-972 901 was created automatically on your behalf with all relevant information. A Support Engineer will make sure the hotfix is compatible with your environment before providing the hotfix.	
9 0	Configuration	SecureXL is turned off	SecureXL is a technology that accelerates traffic through Security Gateway to increase its performance and throughput. For optimal Security Gateway's performance, it is recommended that SecureXL is enabled and that security rulebase is optimized to allow more SecureXL Accept Templates. Refer to sk32578 for additional information.	
9 0	Configuration	NTP is not configured	NTP is a vital service to synchronize the clocks on all Check Point gateways. This is very critical if you are trying to track a specific incident or troubleshoot a problem. For state synchronization between cluster members to function properly the clocks on the cluster members must be set to within 1 minute of each other. The best means of achieving this is to use NTP.	
Ø	00:1C: 74	5600 Next Generation Threat Prevention Device Name: W01 SKU: CPAP-S05600-NGTP Key: 00:1C 74	Configuration: Cluster Security Gateway FW Version: R77.30 Account ID: 67	5 Alarms
	Alarm Category	Description	Remediation	Priority Level
9 0	Fixes	Device had 2 user space crashes on the following processes: wstlsd	The issue requires further investigation by Check Point Technical Services. Service Request 1-971 411 was created automatically on your behalf with all relevant information. Please follow up with Check Point Technical Services to address this problem.	

■ High

■ Medium

Blocking issue; requires immediate attention.

Take immediate action as per recommendation.

Has potential to affect system performance.
Review details and take corrective actions.

Has potential to affect system performance.
Review details and take corrective actions.

Hormal

Normal

Normal behavior, as expected.
Follow recommendations.

No action is required.

Service Requests opened by Check Point PRO

REPORT PERIOD 28-Aug-2017 - 03-Sep-2017

ANALYZED ACCOUNTS


REPORTING DEVICES

DEVICES WITH ALARMS

70

63





TRACK SERVICE REQUESTS < Previous 1 2 Next > 1-10 of 18

Easy as 1, 2, 3 Contact us now to start a free trial contact pro@checkpoint.com



Be Proactive, Stay Protected and Rely on Professionals with Check Point PRO Support.

Learn more about PRO Support at checkpoint.com/support-services/pro/

"WOW, the PRO Report helps us to identify the issue in advance and solve it before it becomes a real problem. A very useful report."

- Technical Lead Security

"Truly PROACTIVE Support!"

- Senior Technical Analyst

"I was already working on a case that had me install a jumbo hotfix, but the proactive alert was already on this."

- Network Security Administrator

CHECK POINT PROBLEM PR